

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/516,498	12/02/2004	Volker Diehl	261999US6PCT	4942
22850 7590 07/20/2007 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			EDGAR, RICHARD A	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			3745	
			NOTIFICATION DATE	DELIVERY MODE
			07/20/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

a

Supplemental Notice of Allowability

_	Application No.	Applicant(s)	
	10/516,498	DIEHL ET AL.	
	Examiner	Art Unit	
	Richard Edgar	3745	

	Richard Edgar	3745					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.							
1. This communication is responsive to <u>an application filed ur</u>	nder 35 USC 371 on 02 December 2	<u>004</u> .					
2. The allowed claim(s) is/are <u>11-20</u> .							
a.							
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			back) of				
6. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL n	nust be submitted. I	Note the				
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☐ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	owance				

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On page 5, line 15, the following has been added as a brief description of the drawings which is required by 37 C.F.R. §1.74:

- -- Fig. 1 shows a schematic depiction of a delivery pump to be used according to the invention;
- Fig. 2 shows the principle of a slide ring packing;
- Fig. 3 shows an open rotor;
- Fig. 4 shows a closed rotor;
- Fig. 5 shows a plan view from above an impeller;
- Fig. 6 shows a plan view from above for an alternate impeller;
- Fig. 7 shows a plan view from above for yet another impeller;
- Figs. 8a and 8b show the mode of operation of the centrifugal pump;
- Fig. 9 shows an impeller with fixed stators;
- Fig. 10 shows an impeller with fixed stators; and
- Fig. 11 shows a side channel pump impeller. --

Art Unit: 3745

An attempt was made to have one of Applicants' representatives suggest particular language to be used in the Examiner's Amendment, or alternatively, allow one of Applicants' representatives to provide an amendment under 37 C.F.R. §1.312. No response was returned within three business days and thus the instant Examiner's Amendment is made to expedite examination of the application.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard Edgar whose telephone number is (571) 272-4816. The examiner can normally be reached on Monday thru Friday, 7 am- 5 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Richard Edgar/ Primary Examiner Art Unit 3745